




AUTOMATE™  
SMARTER SHADES

A white, teardrop-shaped vase with a glossy finish sits on a light-colored wooden table. Inside the vase are several thin, black, branch-like decorative elements. The background is a plain, light-colored wall. To the right, a portion of a dark-framed picture is visible. Below the vase, a white rectangular object is partially visible on the table.

## AUTOMATE™ PULSE 2

Designed in California and made to be seen, the second generation of the Pulse hub allows for further customization with the introduction of additional room, scene and timer icons to select from.

The new hub boasts native sunset and sunrise technology. Shades will raise or lower based on location to allow precise and automatic shade control.

With built-in Wi-Fi or the option of a LAN connection, the Pulse 2 quickly connects to the home's network to unlock the luxury of automated shade control.

Automate Pulse 2 offers more integrations than ever before. Experience voice-activated shade control via Google Assistant, Amazon Alexa and now Apple Homekit with Siri.



Works with  
**Apple HomeKit**

JUST ASK  
**amazon alexa**

works with the  
**Google Assistant**

Works with  
**IFTTT**

Works with  
**SmartThings**

**7** YEAR  
WARRANTY



## AUTOMATE PULSE 2 APP

The Automate Pulse 2 App enables sophisticated shade control straight from any iOS or Android smart phone or tablet.

Utilize the Automate Pulse 2 App to group shades by room or scene, establish custom schedules and set timers for convenient and efficient shade control.



## POWERED BY ARC

ARC™ (Automate Radio Communication) is Rollease Acmeda's proprietary, bi-directional communication technology that brings the Automate motorized shade systems together. ARC communicates the status of shade positioning and battery health straight to the Automate Pulse 2 App.



Works with  
**Apple HomeKit**



# VOICE CONTROL

Utilizing voice commands, operating Automate controlled shades is now more convenient than ever.

Automate takes advantage of native integration for shade control with Apple HomeKit & Siri, Google Home & Assistant and Amazon Alexa. The “native” control responds to the user’s naturally-spoken language for shade operation and does not require any additional set-up.

Alternatively, shades can be synchronized with smart devices and actions with IFTTT.

# HOME AUTOMATION SYSTEMS



The Pulse 2 Hub bridges integration between Automate motors and the most popular whole home automation systems. Integrations can be made over Wi-Fi or through a standard networking cable into the Pulse 2’s RJ45 plug.



Compatible with





## AUTOMATE PUSH 5 REMOTE

The cutting-edge design of the new Automate Push5 remote control is modern, simple and functional.



Available in gloss white or matte black finish, the Push 5 features a tactile button layout to improve usability.



## AUTOMATE PARADIGM REMOTES & WALL SWITCHES

Automate Paradigm wall switches and hand-held remotes feature 15 channels within a contemporary design. The Paradigm wall switches are wireless, making installation simple for fixed controllers.



## SOLAR POWERED ARC WIND, LIGHT & RAIN SENSOR

The solar-powered ARC Wind, Sun & Rain Sensor naturally reacts to the elements to automatically open or close an awning, always providing a comfortable external environment or protection of the awning.



## INDOOR SUN SENSOR

Automate light sensors automatically manage shade control according to sunlight at each window, minimizing reliance on and costs of artificial light.



## ARC REPEATER

The Automate ARC repeater increases the wireless range between the remotes or the Automate pulse hub by 40m.



**7** YEAR WARRANTY





## AUTOMATE SOLAR PANEL

With its smaller design and improved performance in low light, the new Automate Solar Panel offers an energy efficient upgrade for the entire Automate Wire-Free Li-ion range of motors and battery packs.



**7** YEAR WARRANTY




# AUTOMATE WIRE-FREE LI-ION MOTORS

Automate's core motor line, the Wire-Free Li-ion, utilizes state of the art rechargeable lithium-ion battery technology. No wires mean an easy upgrade for existing shades without the need of an electrician.




**Automate Wire-Free Li-ion 1.1**  
12V, 1.1Nm, Ø25mm, 20-40RPM, 19.87in long




**Automate Wire-Free Li-ion SW1.1**  
12V, 1.1Nm, Ø25mm, 40RPM, 17.56in long




**Automate Wire-Free Li-ion Q2**  
12V, 2.0Nm, Ø28mm, 20-28RPM, 25.60in long



**Automate Wire-Free Li-ion 3.0**  
12V, 3.0Nm, Ø35mm, 20-28PRM, 33.41in long




**Automate Wire-Free Li-ion Q3**  
12V, 3.0Nm, Ø45mm, 20-28PRM, 32.04in long



**Automate Wire-Free Li-ion Q10**  
12V, 10.0Nm, Ø45mm, 9-5RPM, 32.04in long

	1.1	SW1.1	Q2.0	3.0	Q30	Q10.0
<b>CONTROLLERS</b>						
Pulse	✓	-	✓	✓	✓	✓
Paradigm Controllers	✓	-	✓	✓	✓	✓
Push 5 Remote	✓	-	✓	✓	✓	✓
Wall Switch	✓	-	✓	✓	✓	✓
Surface Mount	✓	-	✓	✓	✓	✓
Dry Contact Input Module	✓	-	✓	✓	✓	✓
Internal Sun Sensor	✓	-	✓	✓	✓	✓
Arc Repeater	✓	-	✓	✓	✓	✓





**7** YEAR WARRANTY

## AUTOMATE DC POWER DISTRIBUTION PANEL


The Automate DC Power Distribution Panel provides power for up to 18 individual Automate DC motors, eliminating the need for individual power adapters. While also supporting cable runs of up to 1771.65 feet, this is the complete, hardwired solution for motors that require speed control and quiet operation in narrow applications.

# AUTOMATE DC MOTORS

Automate DC motors are an excellent choice for motorizing shades in the residential space or for light commercial projects.

The Automate DC Tubular Motors connect with low voltage cables, so a certified electrician is not required for set-up, therefore keeping installation costs to a minimum.

With variable speed settings, the Automate DC Motors can be adjusted to a slower, quieter speed to suit the unique needs of each space.



**Automate DC 1.1**  
12V, 1.1Nm, Ø25mm, 20-40RPM, 11.76in long



**Automate DC Q2.0**  
12V, 2.0Nm, Ø28mm, 20-28RPM, 17.21in long



**Automate DC 3**  
12V, 3.0Nm, Ø35mm, 20-28RPM, 18.07in long



**Automate DC Q3**  
12V, 3.0Nm, Ø45mm, 20-28RPM, 27.70in long



**Automate DC Q10**  
12V, 10.0Nm, Ø45mm, 6-9RPM, 27.70in long

	1.1	Q2.0	3.0	Q3.0	Q10.0	
<b>CONTROLLERS</b>	Pulse	✓	✓	✓	✓	✓
	Paradigm Controllers	✓	✓	✓	✓	✓
	Push 5 Remote	✓	✓	✓	✓	✓
	Wall Switch	✓	✓	✓	✓	✓
	Surface Mount	✓	✓	✓	✓	✓
	Dry Contact Input Module	✓	✓	✓	✓	✓
	Internal Sun Sensor	✓	✓	✓	✓	✓
	Arc Repeater	✓	✓	✓	✓	✓


**7** YEAR WARRANTY






# AUTOMATE AC MOTORS

Automate AC powered motorized shades are a great choice for homes with very large windows and awnings as well as larger commercial applications. With lifting capacities up to 133 pounds and run times up to 4 minutes, Automate AC motors provide the power required to operate the larger, longer shades.



**Automate ACRF 6**  
110-120 A/C, 6.0Nm, Ø35mm,  
33RPM, 22.78in long



**Automate ACRF Q6**  
110-120 A/C, 6.0Nm, Ø35mm,  
24RPM, 21.18in long



**Automate ACRF Q10**  
110-120 A/C, 10.0Nm, Ø45mm,  
21RPM, 29.74in long



**Automate ACRF 15**  
110-120 A/C, 15.0Nm, Ø45mm,  
32RPM, 25.81in long

		15	6	Q6	Q10
<b>CONTROLLERS</b>	Pulse	✓	✓	✓	✓
	Paradigm Controllers	✓	✓	✓	✓
	Push 5 Remote	✓	✓	✓	✓
	Wall Switch	✓	✓	✓	✓
	Surface Mount	✓	✓	✓	✓
	Dry Contact Input Module	✓	✓	✓	✓
	Internal Sun Sensor	✓	✓	✓	✓
	Arc Repeater	✓	✓	✓	✓

**7** YEAR WARRANTY



# AUTOMATE ML MOTORS

Automate ML range offers high performance mechanical limit motors, compatible with our shade hardware systems and building automation system controllers.



**Automate ACML 6**  
110-120 A/C, 6.0Nm, Ø35mm,  
33RPM, 20.04in long



**Automate ACML Q6**  
110-120 A/C, 6.0Nm,  
Ø35mm, 24RPM, 22.01in long



**Automate ACML Q10**  
110-120 A/C, 10.0Nm, Ø45mm,  
21RPM, 27.70in long



**Automate ACML 20**  
110-120 A/C, 20.0Nm,  
Ø45mm, 32RPM, 25.74in long

**7** YEAR WARRANTY






## AUTOMATE EXTERIOR MOTORS

		FT15
CONTROLLERS	Pulse	✓
	Paradigm Controllers	✓
	Push 5 Remote	✓
	Wall Switch	✓
	Surface Mount	✓
	Dry Contact Input Module	✓
	Internal Sun Sensor	✓
	Arc Repeater	✓
	Wind, Light and Rain Sensor	✓

The Automate FT15 has been tailored for Rollease Acmeda's Zipscreen and External Wire Guide systems. When used with Rollease Acmeda's Ultra-Lock V2, a simple touch will activate the FT15 motor to automatically close, lock and tension the blind for increased stability and ease of use.



Automate FT15  
110-120 A/C, 15.0Nm, Ø45mm,  
32RPM, 26.19in long

**7**  
YEAR  
WARRANTY





## AUTOMATE DRAPERY MOTORS

The Automate Drapery motors feature a stand-out “soft touch” technology. A gentle pull on the fabric will initiate movement to automatically open or close the curtain. Our new and improved Versa motor boasts interchangeable power sources and versatile mounting to ensure a luxurious elegant finish for your drapes.

	C1.2	VERSA	
<b>CONTROLLERS</b>	Pulse	✓	✓
	Paradigm Controllers	✓	✓
	Push 5 Remote	✓	✓
	Wall Switch	✓	✓
	Surface Mount	✓	✓
	Dry Contact Input Module	✓	✓
	Internal Sun Sensor	✓	✓
	Arc Repeater	✓	✓



**Automate C1.2**  
110-240 A/C, 1.2Nm, 80-120RPM, 13.18in long



**Automate Versa Drapery**  
Li-ion Battery powered (Options for A/C adapters)  
120 RPM, 12.83in long



Battery Module



AC Module





	CL0.6	CL0.8	
<b>CONTROLLERS</b>	Pulse	✓	✓
	Paradigm Controllers	✓	✓
	Push 5 Remote	✓	✓
	Wall Switch	✓	✓
	Surface Mount	✓	✓
	Dry Contact Input Module	✓	✓
	Internal Sun Sensor	✓	✓
	Arc Repeater	✓	✓

## AUTOMATE CORD LIFT MOTORS

Automate Cord Lift motors enable motorization of a variety of cellular and roman shade applications.

The CL 0.6 features a single output shaft, for placement at the end of a head-rail. The CL 0.8 features dual output shafts, for placement anywhere in the head-rail.



Automate CL 0.6  
12V, 0.6Nm, Ø24mm,  
34-50RPM, 5.15in long



Automate CL 0.8  
12V, 0.8Nm, Ø24mm,  
45RPM, 7.59in long





## AUTOMATE TILT MOTORS

The Automate tilt motors enables motorization of Venetian Blinds with both low and high profile head-rails. With adjustable speeds and automation configuration available through the Automate Pulse 2 app, users can optimize an environment's daylight throughout each day. The Core Tilt motor gives users the flexibility of manual wand control or motorized operation.

	VT1.0	CORE
<b>CONTROLLERS</b>	Pulse	✓
	Paradigm Controllers	✓
	Push 5 Remote	✓
	Wall Switch	✓
	Surface Mount	✓
	Dry Contact Input Module	✓
	Internal Sun Sensor	✓
	Arc Repeater	✓



**Automate VT 1.0 Tilt**  
12V, 1.0Nm, 6-12RPM,  
3.78in long

**Automate Core Tilt**  
8.4V, 0.6Nm, 10RPM,  
3.78in long

**7** YEAR WARRANTY



# CHERISH YOUR SHINING LIGHT

The best window coverings balance fashion and function. They bring warmth to a living space, offer perspective into the world around and help keep us safe and secure.

Automate shades eliminate any physical operating cords, creating a child and pet safe environment. They offer comfort and convenience with automation to suit your lifestyle - letting light in when you want it and providing privacy when you need it while ensuring the ones we care about most are protected from harm.





## FOLLOW US



Find us on social media with: [@ROLLEASEACMEDA](https://www.instagram.com/rolleaseacmeda)

© 2020 Copyright Rollease Acmeda Group