

# Regulatory Compliance



CAN ICES-3 (B)/NMB-3(B)



Do not dispose of in general waste. Please recycle batteries and damaged electrical products appropriately.

## Specifications:

Brand	AUTOMATE   Pulse 2 Hub
Model #	MT02-0401-067001
Input Voltage	5V DC
Input Current Max	1A
Appliance Class	III
Wi-Fi Freq.	2.4GHz, 802.11b/g/n
Shade Control Freq.	433.92 MHz
Digital Device Type	Class B
Transmission Range	30m (98ft)
IP Rating	IP20
Internet Connection	Ethernet, Wi-Fi
Ethernet Cable Len.	39 Inches
USB Cable Len.	31 Inches
Operation Temp.	32°F to 140°F (0°C to 60°C)

Rollase Acmeda declares this equipment complies with the essential requirements and other relevant provisions of the following directives and standards:

CE - RED	The Radio Equipment Directive 2014/53/EU
CE - RoHS	The RoHS Directive 2011/65/EU + 2015/863
CE - Safety	EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013
CE - Health	EN62311:2008
CE - EMC	EN 55032:2015, EN55035:2017, EN61000-3, EN301 489
CE - Radio Spectrum	EN 300 220-2 V3.1.1, EN300 328 V2.1.1
FCC - RF	47 CFR Part 15:2019, ANSI C63.10:2013
FCC - MPE	KDB447498 D01 General RF Exposure Guidance v06 FCC Part2.1091, FCC Part2.109, FCC Part1.1307(b)
ISED - RF	RSS-210 Issue 9, RSS-247 Issue 2, RSS-Gen Issue 5
RCM - RF	EN300 220-2 V3.1.1, AS/NZS 4268:2017
RCM - EMC	CISPR 32:2015
RCM - EME	AS/NZS 2772.2:2016, Radiation Protection Standard Radiocommunications (Electromagnetic Radiation – Human Exposure) Amendment Standard 2019 (No.1)

## FCC / ISED Statements

This device complies with Part 15 of the FCC. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- 1) L'appareil ne doit pas produire de brouillage;
- 2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To satisfy FCC&IC RF exposure requirements, a separation distance of 20cm or more should be maintained between the antenna of this device and persons during device operation. To ensure compliance, operations at closer than this distance is not recommended.

Les antennes installées doivent être situées de façon à ce que la population ne puisse y être exposée à une distance de moins de 20 cm. Installer les antennes de façon à ce que le personnel ne puisse approcher à 20 cm ou moins de la position centrale de l'antenne.

Limited by local law regulations, version for North America does not have region selection option.